T-WAX SUPER

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

T-WAX SUPER

1.2 Relevant identified uses of the substance or mixture and uses advised against

Cleaning Product

1.3 Details of the supplier of the data sheet

Travik Chemicals (UK) Limited

Grindon Way

Aycliffe Industrial Park

Newton Aycliffe

County Durham

DL5 6SH

United Kingdom info@travik.co.uk

www.travik.co.uk

Tel: 01325 307000

Fax: 01325 307070

1.4 Emergency telephone number

Nearest anti-poison centre or Guy's Hospital Poisons Unit, LONDON SE14 SER. (00 44)(1 71) 6 35 91 91 During normal opening times: 01325 307000 (08.30 - 16.30)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

- Eye irritation, category 2.
- Skin irritation, category 2.
- Carcinogenicity, category 2.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

- Irritating to eyes.
- Irritating to skin.
- Limited evidence of a carcinogenic effect.

2.2 Label Elements

In compliance with EC regulation No. 1272/2008 and its amendments. Pictogram(s):



Signal Word (s):

WARNING

Hazard Statement(s):

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H351 Suspected of causing cancer.

T-WAX SUPER

Precautionary Statement(s):

- P102 Keep out of reach of children.
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statement(s):

• None.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments. Hazard Symbol(s):



R-Phrase(s):

- R36 Irritating to eyes.
- R38 Irritating to skin.
- R40 Limited evidence of a carcinogenic effect.

S-Phrase(s):

- S2 Keep out of the reach of children.
- S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- S28 After contact with skin, wash immediately with plenty of soap-suds.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Composition:

Component	CAS	EINECS	CHIP CLASS.	CLP CLASS.	%
Nitrilotriacetate, trisodium salt (NTA)	5064-31-3	225-768-6	Xn; R22. Xi; R36. R40.	Acute Tox. 4: H302. Eye Irrit. 2: H319. Carc. 2: H351.	1-10%
Sodium Hydroxide	1310-73-2	215-185-5	C; R35.	Met. Corr. 1: H290. Skin Corr. 1A: H314.	1-10%
Cocamidopropyl Betaine	61789-40-0	263-058-8	Xi; R41.	Eye Dam. 1: H318. Aquatic Chronic 3: H412.	1-10%
Amines, C12-14 (even numbered)-alkyldimethyl, N-Oxides	308062-28- 4	931-292-6	Xn; R22. Xi; R38, R41. N; R50.	Acute Tox. 4: H302. Skin Irrit. 2: H315. Eye Dam. 1: H318. Aquatic Acute 1,: H400. Aquatic Chronic 2: H411.	<5%
N-Dodecyl-B- Iminodipropionic Acid, Disodium Salt	3655-00-3	222-899-0	Xi; R36.	Eye Irrit. 2: H319.	<5%
Alcohols, C12-C13- branched and linear, ethoxylated	160901-19- 9	N/A	Xn; R22. Xi; R41.	Acute tox. 4: H302. Eye Dam. 1: H318	<5%
Amides, coco, N,N- bis(hydroxyethyl)	68603-42-9	271-657-0	Xi; R38, R41.	Skin Irrit. 2: H315. Eye Dam. 1: H318	<5%
Coco/Soya fatty acid quaternised	68604-75-1	N/A	Xn; R22, Xi;R38,R41. N;R52/53	Acute Tox. 4: H302. Skin Irrit. 2: H315. Eye Dam. 1: H318. Aquatic Chronic 3: H412.	<5%

T-WAX SUPER

Component	CAS	EINECS	CHIP CLASS.	CLP CLASS.	%
Amines, C12-14 (even numbered)-alkyldimethyl, N-Oxides	61788-90- 7	931-341-1	Xn; R22, Xi;R38,R41. N;R50.	Acute Tox. 4: H302. Skin Irrit. 2: H315. Eye Dam. 1: H318. Aquatic Acute 1: H400.	<5%
Propan-2-ol	67-63-0	200-661-7	F; R11, R67. Xi; R36.	Flam. Liq. 2: H225. Eye Irrit. 2: H319. STOT SE 3: H336.	<5%

See Section 16 for the full text of the R-phrases and H statements declared above.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

Notes to the physician:

• No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

In the event of exposure by inhalation:

• Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

In the event of splashes or contact with eyes:

• Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

In the event of splashes or contact with skin:

• Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if any discomfort continues.

In the event of swallowing:

• Immediately rinse mouth and provide fresh air. Get medical attention if any discomfort continues. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

- Eye irritation signs and symptoms may include a burning sensation, redness, swelling, and/or blurred vision.
- Skin irritation signs and symptoms may include a burning sensation, redness, swelling, and/or blisters.
- Defatting dermatitis signs and symptoms may include a burning sensation and/or a dried/cracked appearance.

4.3 indication of any immediate medical attention and special treatment needed

• No Data Available.

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

• This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

5.2 Special hazards arising from the substance or mixture

• Aqueous liquid: does not show any particular risk in case of fire.

5.3 Advice for firefighters

- No specific fire fighting procedure given.
- Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

• Consult the safety measures listed under headings 7 and 8.

For non fire-fighters

T-WAX SUPER

- Avoid any contact with the skin and eyes.
- If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.

For fire-fighters

• Fire-fighters will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

- Collect as much as possible in a clean container for (preferable) reuse or disposal.
- 6.3. Methods and material for containment and cleaning up
 - Flush remainder with water.
- 6.4. Reference to other sections
 - No data available.

SECTION 7. HANDLING AND STORAGE

- Requirements relating to storage premises apply to all facilities where the mixture is handled.
- Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

- Always wash hands after handling.
- Remove and wash contaminated clothing before re-using.

Recommended equipment and procedures:

- For personal protection, see section 8.
- Observe precautions stated on label and also industrial safety regulations
- Avoid skin and eye contact with this mixture.

Prohibited equipment and procedures:

• No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

• Store between 4°C and 25°C in a dry, well ventilated place.

Storage

• Keep the container tightly closed in a dry, well-ventilated place

Packaging

• Always keep in packaging made of an identical material to the original

7.3. Specific end use(s)

• The identified uses for this product are detailed in Section 1.2.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

Component	List	Туре	Value
Sodium Hydroxide	EK WEL	STEL	2mg/m3

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

- Eye / face protection

• Use chemical goggles. Chemical goggles should be consistent with EN 166 or equivalent.

- Skin Protection:

 When prolonged or frequently repeated contact could occur, use protective clothing chemically resistant to this material. Selection of specific items such as faceshield, boots, apron, or full-body suit will depend on the task.

Hand protection

• Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

T-WAX SUPER

- Respiratory protection

 Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Liquid
Clear, red
Slight, detergent.
13.0 - 14.0
not relevant.
not relevant.
1.05
Miscible in all proportions

• No data available.

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

• No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

• This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

- No data available.
- 10.4. Conditions to avoid
 - Active ingredient decomposes at elevated temperatures.
- 10. 5. Incompatible materials
 - Keep away from: Strong oxidising agents, strong bases.

10.6. Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Mixture:

- No toxicological data available for the mixture.
- Skin corrosion/skin irritation:
 - Causes skin irritation.
- Serious damage to eyes/eye irritation:
 - Causes serious eye irritation.
- Respiratory or skin sensitisation:
 - Not determined.

T-WAX SUPER

Component	Test	Туре	Value
Nitrilotriacetate, trisodium salt (NTA)	Skin Absorption	LD50, Rabbit	10,000 mg/kg
Nitrilotriacetate, trisodium salt (NTA)	Inhalation	LD50, 4 h, Aerosol, Rat, male	>5mg/kg. No deaths occurred at this concentration.
Cocamidopropyl Betaine	Acute Oral Toxicity	LD50, Rat-Male, Female	7,900mg/kg
Amines, C12-14 (even numbered)-alkyldimethyl, N-Oxides	Skin Absorption	LD50, Rat-Male, Female	>2,000mg/kg
Amines, C12-14 (even numbered)-alkyldimethyl, N-Oxides	Acute Oral Toxicity	LD50, Rat-Male, Female	1,064mg/kg
N-Dodecyl-B-Iminodipropionic Acid, Disodium Salt	Acute Oral Toxicity	LD50, Rat-Male, Female	>2,000mg/kg
Alcohols, C12-C13-branched and	Acute Dermal	LD50, Rat-Male, Female	>2,000mg/kg
linear, ethoxylated	Toxicity		
Alcohols, C12-C13-branched and linear, ethoxylated	Acute Oral Toxicity	LD50, Rat-Male, Female	300-2,000mg/kg
Propan-2-ol	Acute Oral Toxicity	LD50, Rat-Male, Female	5,045mg/kg

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

Component Ecotoxicology:

Component	Test	Туре	Value
Nitrilotriacetate, trisodium salt (NTA)	Fish	96H LC50	>100mg/l
Cocamidopropyl Betaine	Fish	96H LC50	2mg/l
	Daphnia	48H EC50	6.5mg/l
	Algae	96H EC50	1.84mg/l
Amines, C12-14 (even numbered)-alkyldimethyl, N-Oxides	Fish	96H LC50	2.67 – 3.46mg/l
	Daphnia	48H EC50	3.1mg/l
	Algae	72H EC50	0.1428mg/l
N-Dodecyl-B-Iminodipropionic Acid, Disodium Salt	Fish	48H EC50	10.7 mg/l
Alcohols, C12-C13-branched and linear,	Fish	96H LC50	1 – 10mg/l
	Daphnia	48H EC50	1 – 10mg/l
ethoxylated	Algae	72H EC50	1 – 10mg/l

12.2. Persistence and degradability

• The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

- No data available.
- 12.5. Results of PBT and vPvB assessment
 - No data available.

12.6. Other adverse effects

• No know significant effects or critical hazards

SECTION 13. DISPOSAL CONSIDERATIONS

• Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Waste:

• Must be disposed of in accordance with local and national regulations.

Soiled packaging:

SDS Compliant with regulation (EC) No 1907/2006 - No 453/2010. Revision Date: 17-02-2015. REVISION: 1

SAFETY DATA SHEET

T-WAX SUPER

• Dispose of as normal industrial waste. If empty containers are recycled or disposed of, the receiver must be informed about possible hazards. NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

SECTION 14. TRANSPORT INFORMATION

Transport class: This product does not require a classification for transport.

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Particular provisions:
 - No data available.
- 15.2. Chemical safety assessment
 - No data available.

SECTION 16. OTHER INFORMATION

- Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.
- It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.
- The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.
- To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein
- Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist

Full Text of abbreviated H Statements:

- H225 Highly flammable liquid and vapour.
- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H351 Suspected of causing cancer.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Full Text of abbreviated R-Phrases:

- R11 Highly flammable.
- R22 Harmful if swallowed.
- R35 Causes severe burns.
- R36 Irritating to eyes.
- R38 Irritating to skin.
- R40 Limited evidence of a carcinogenic effect.
- R41 Risk of serious damage to the eyes.
- R50 Very toxic to aquatic organisms.

R52/53 – Harmful to aquatic organisms, may cause longterm adverse effects in the aquatic environment.

- R67 Vapours may cause drowsiness and dizziness.
- Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.