

SAFETY DATA SHEET

LOGLIFE CAR POLISH

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

LOGLIFE CAR POLISH

1.2 Relevant identified uses of the substance or mixture and uses advised against

Polish for metal and painted surfaces.

1.3 Details of the supplier of the data sheet

Travik Chemicals (UK) Limited

Grindon Way

Aycliffe Industrial Park

Newton Aycliffe

County Durham

DL5 6SH

United Kingdom

info@travik.co.uk

www.travik.co.uk

Tel: 01325 307000

Fax: 01325 307070

1.4 Emergency telephone number

Nearest anti-poison centre or Guy's Hospital Poisons Unit, LONDON SE14 SER. (00 44)(1 71) 6 35 91 91

During normal opening times: 01325 307000 (08.30 - 16.30)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

- Flammable liquid, category 3.
- Asp. Tox. Category 1.
- Eye irritation, category 2.
- Aquatic Chronic, category 3.

2.2 Label Elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Pictogram(s):



Signal Word (s):

- DANGER

Hazard Statement(s):

- H226 – Flammable liquid and vapour.
- H304 – May be fatal if swallowed and enters airways.
- H319 – Causes serious eye irritation.
- H373 – May cause damage to organs through prolonged or repeated exposure.
- H412 – Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

LOGLIFE CAR POLISH

Precautionary Statement(s):

- P301 + P310 – IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- P331 – Do NOT induce vomiting.
- P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P314 – Get medical advice/attention if you feel unwell.

Supplemental Hazard Statement(s):

- EUH 066 – Repeated exposure may cause skin dryness or cracking.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Mixtures:

- Hydrocarbons, C9-12, n-alkanes, isoalkanes, Cyclics, Aromatics (2-25%)

CAS Number: 64742-88-7

EC Number: 919-446-0

Concentration: <20%

Categories: Aquatic Chronic 2

- Distillates (petroleum), hydrotreated light; Kerosine - unspecified

CAS Number: 64742-47-8

EC Number: 265-149-8

Concentration: <5%

Categories: Acute Tox. 3

- Bis (2-hydroxyethyl) oleyl amine

CAS Number: 25307-17-9

EC Number: 246-807-3

Concentration: <1%

Categories: Skin Corr. 1B, Aquatic Acute 1

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

- P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- P331 - Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

- Mildly irritating to respiratory system
- In cases of severe exposure, dizziness, confusion, headache or stupor may develop
- Mildly irritating to skin and eyes
- Can cause damage to the eyes, skin and mucous membranes

4.3 Indication of any immediate medical attention and special treatment needed

- Seek medical attention if irritation persists
- P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- P331 - Do NOT induce vomiting.

SAFETY DATA SHEET

LOGLIFE CAR POLISH

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

- P370+P378 - In case of fire: use foam, carbon dioxide or dry agent for extinction

5.2 Special hazards arising from the substance or mixture

- May give off noxious and toxic fumes in a fire
- Smoke from fires is irritating. Take precautions to protect personnel from exposure

5.3 Advice for firefighters

- Keep container(s) exposed to fire cool, by spraying with water
- Vapours are heavier than air and may travel considerable distances to a source of ignition and flashback
- Wear Breathing Apparatus

SECTION 6. ACCIDENTAL RELEASE MEASURES

Spillage causes slippery surface

6.1 Personal precautions, protective equipment and emergency procedures

- Spillage causes slippery surface
- Shut off source of leak if safe to do so
- Ensure adequate ventilation

6.2 Environmental Precautions

- S29 - Do not empty into drains
- Do not allow to enter public sewers and watercourses
- If contamination of drainage systems or water courses is unavoidable, immediately inform appropriate authorities

6.3 Methods and material for containment and cleaning up

- Absorb spillage in inert material and shovel up
- Place in appropriate container
- Remove contaminated material to safe location for subsequent disposal
- S40 - To clean the floor and all objects contaminated by this material use soap and water

6.4 Reference to other sections

- See Section 3,8 &13 for further information

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

- Ensure adequate ventilation
- Proper chemicals handling procedures should be adopted
- P210 - Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
- P243 - Take precautionary measures against static discharge.
- P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P314 - Get medical advice/attention if you feel unwell.

7.2 Conditions for safe storage, including any incompatibilities

- Keep in a cool, dry, well ventilated place
- P404 - Store in a closed container.
- Keep away from frost

7.3 Specific end use(s)

- No hazardous reactions known if used for its intended purpose

SAFETY DATA SHEET

LOGLIFE CAR POLISH

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

- Eye / face protection

- Use chemical goggles. Chemical goggles should be consistent with EN 166 or equivalent.

- Skin Protection:

- When prolonged or frequently repeated contact could occur, use protective clothing chemically resistant to this material. Selection of specific items such as faceshield, boots, apron, or full-body suit will depend on the task.

- Hand protection

- Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

- Respiratory protection

- Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process.
- In case of insufficient ventilation, wear suitable respiratory equipment.
- Use respirator with appropriate filter if vapours or aerosol are released.
- Recommended Filter type: A.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

- Appearance: white, viscous, cream
- Odour: Characteristic odour
- Specific Gravity: 0.990
- Flashpoint: 53°C
- Viscosity: 16500 centipoise at 20 °C
- Solubility in water: Partly soluble in water

9.2. Other information

- No data available.

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

- No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

- This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

- No hazardous reactions known if used for its intended purpose

10.4. Conditions to avoid

- Heat, flames or sparks. Keep away from: Frost

10.5. Incompatible materials

- No hazardous reactions known if used for its intended purpose

10.6. Hazardous decomposition products

- Under fire conditions: Carbon oxides

SAFETY DATA SHEET

LOGLIFE CAR POLISH

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Mixture:

- No information available but must be considered harmful.

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

- No information available

12.2 Persistence and degradability

- No information available

12.3 Bioaccumulation Potential

- No information available

12.4 Mobility in soil

- No information available

12.5 Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII

12.6 Other Adverse Effects

- Presents little or no hazard to the environment

SECTION 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

- Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

Waste:

- S29 - Do not empty into drains
- Do not pierce or burn container, even after use
- Do not reuse empty containers without commercial cleaning or reconditioning

SECTION 14. TRANSPORT INFORMATION

14.1 UN Number

UN Number: 1139

14.2 UN proper shipping name

Shipping name: COATING SOLUTION

14.3 Transport hazard class(es)

Transport class: 3

14.4 Packing group

Packing group: III

14.5 Environmental hazards

Presents little or no hazard to the environment.

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Particular provisions:

- No data available.

15.2. Chemical safety assessment

- No data available.

SAFETY DATA SHEET

LOGLIFE CAR POLISH

SECTION 16. OTHER INFORMATION

- Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.
- It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.
- The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.
- To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein
- Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.