SOLVENT DEGREASER EMULSIFIABLE

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier

SOLVENT DEGREASER EMULSIFIABLE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Cleaning Product

1.3 Details of the supplier of the data sheet

Travik Chemicals (UK) Limited

Grindon Way

Aycliffe Industrial Park

Newton Aycliffe

County Durham

DL5 6SH

United Kingdom

info@travik.co.uk

www.travik.co.uk

Tel: 01325 307000 Fax: 01325 307070

1.4 Emergency telephone number

Nearest anti-poison centre or Guy's Hospital Poisons Unit, LONDON SE14 SER. (00 44)(171) 6 35 91 91

During normal opening times: 01325 307000 (08.30 - 16.30)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

- Flammable liquid, category 3.
- STOT SE, Category 3.
- STOT RE, Category 1.
- Asp. Tox. Category 1.
- Aquatic Chronic, Category 2.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

- Flammable.
- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- Harmful: may cause lung damage if swallowed.
- Vapours may cause drowsiness and dizziness.
- Repeated exposure may cause skin dryness or cracking.

2.2 Label Elements

In compliance with EC regulation No. 1272/2008 and its amendments.







Signal Word (s):

DANGER

SOLVENT DEGREASER EMULSIFIABLE

Hazard Statement(s):

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H336 May cause drowsiness or dizziness.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary Statement(s):

- P102 Keep out of reach of children.
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- P331 Do NOT induce vomiting.

Supplemental Hazard Statement(s):

• EUH 066 – Repeated exposure may cause skin dryness or cracking.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard Symbol(s):







R-Phrase(s):

- R10 Flammable
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R65 Harmful: may cause lung damage if swallowed.
- R66 Repeated exposure may cause skin dryness or cracking.
- R67 Vapours may cause drowsiness and dizziness.

S-Phrase(s):

- S2 Keep out of the reach of children.
- S16 Keep away from sources of ignition.
- S23 Do not breathe vapour.
- S37 Wear suitable gloves.
- S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label whenever possible.)

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Composition:

Component	CAS	EINECS	CHIP CLASS.	CLP CLASS.	%
Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclics, (2-25%) aromatics	64742-82-1	919-446-0	F; R10, R67. R66. Xn; R65, N; R51/53.	Flam. Liq. 3: H226. Asp. Tox. 1: H304. STOT SE 3: H336. STOT RE 1: H372. Aquatic Chronic 2: H411	>70%
Xylenes, mixed isomers	1330-20-7	215-535-7	F; R10. Xn;R20/21,R65. Xi;R36/37/38.	Flam. Liq. 3: H226. Acute Tox. 4: H312. Acute Tox. 4: H332. Skin Irrit. 2: H315. Eye Irrit. 2: H319. STOT SE 3: H335. Asp. Tox. 1: H304.	1-10%
Ethylbenzene	100-41-4	202-849-4	F; R11. Xn; R20.	Flam. Liq. 2: H225. Acute Tox. 4: H332	1-10%

SOLVENT DEGREASER EMULSIFIABLE

Composition (Contd.):

Component	CAS	EINECS	CHIP CLASS.	CLP CLASS.	%
Alcohols C9 – 11 branched and linear,ethoxylated 5-20 EO	68439-46-3	N/A	Xn; R22, Xi; R41	Acute Tox. 4: H302. Eye Dam. 1: H318	1-10%

See Section 16 for the full text of the R-phrases and H statements declared above.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

Notes to the physician:

 No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

In the event of exposure by inhalation:

Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. If unconscious
place in recovery position. Call a physician immediately.

In the event of splashes or contact with eyes:

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of
water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any
discomfort continues.

In the event of splashes or contact with skin:

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin
immediately with soap and water. Get medical attention if any discomfort continues.

In the event of swallowing:

DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! If vomiting
occurs, keep head low so that stomach content doesn't get into the lungs. Drink plenty of water. Get
medical attention immediately! Provide rest, warmth and fresh air.

4.2 Most important symptoms and effects, both acute and delayed

- Vapours may cause drowsiness and dizziness. Vapours inhaled in high concentrations have a narcotic effect on the central nervous system.
- May cause stomach pain or vomiting. The product may enter the lungs due to its low viscosity, and lead to the rapid development of very serious inhalation pulmonary lesions (medical survey during 48 hours).
- Eye irritation signs and symptoms may include a burning sensation, redness, swelling, and/or blurred vision.
- Skin irritation signs and symptoms may include a burning sensation, redness, swelling, and/or blisters.
- Defatting dermatitis signs and symptoms may include a burning sensation and/or a dried/cracked appearance.

4.3 indication of any immediate medical attention and special treatment needed

- No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!
- Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

- Fire can be extinguished using: Foam. Dry chemicals, sand, dolomite etc.
- Do not use water jet as an extinguisher, as this will spread the fire.

5.2 Special hazards arising from the substance or mixture

- The vapour may be invisible, heavier than air and spread along ground.
- Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Hydrocarbons. Aldehydes.
- The product is flammable, and heating may generate vapours which may form explosive vapour/air mixtures. In case of fire, toxic gases may be formed.

5.3 Advice for firefighters

 In the event of fire, wear self-contained breathing apparatus. Wear appropriate body protection (full protective suit)

SOLVENT DEGREASER EMULSIFIABLE

 Cool closed containers exposed to fire with water spray. Heating will cause a pressure rise - with risk of bursting.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

• Consult the safety measures listed under headings 7 and 8.

For non fire-fighters

• If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.

For fire-fighters

• Fire-fighters will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

• Collect as much as possible in a clean container for (preferable) reuse or disposal.

6.3. Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous
earth, vermiculite) and place in container for disposal according to local / national regulations (see section
13).

6.4. Reference to other sections

• No data available.

SECTION 7. HANDLING AND STORAGE

- Requirements relating to storage premises apply to all facilities where the mixture is handled.
- Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

- Always wash hands after handling.
- Remove and wash contaminated clothing before re-using.

Recommended equipment and procedures:

- For personal protection, see section 8.
- Observe precautions stated on label and also industrial safety regulations
- Avoid skin and eye contact with this mixture.

Prohibited equipment and procedures:

• No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

- Store between 4°C and 25°C in a dry, well ventilated place.
- Combustible liquid. Keep away from sources of ignition No smoking. The vapour may be invisible, heavier than air and spread along ground. Vapours may form explosive mixtures with air. Take measures to prevent the build up of electrostatic charge.

Storage

• Keep the container tightly closed in a dry, well-ventilated place

Packaging

• Always keep in packaging made of an identical material to the original

7.3. Specific end use(s)

• The identified uses for this product are detailed in Section 1.2.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

SOLVENT DEGREASER EMULSIFIABLE

Component	List	Туре	Value
Hydrocarbons, C9-12, n-	UK WEL	TWA	350mg/m3
alkanes, isoalkanes, cyclics,			
(2-25%) aromatics			
Xylenes, mixed isomers	UK WEL	STEL	441mg/m3
Xylenes, mixed isomers	UK WEL	TWA	220mg/m3
Ethylbenzene	UK WEL	STEL	552mg/m3
Ethylbenzene	UK WEL	TWA	441mg/m3

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

- Eye / face protection
 - Use chemical goggles. Chemical goggles should be consistent with EN 166 or equivalent.

- Skin Protection:

 When prolonged or frequently repeated contact could occur, use protective clothing chemically resistant to this material. Selection of specific items such as faceshield, boots, apron, or full-body suit will depend on the task.

Hand protection

 Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

- Respiratory protection

- Respiratory protection should be worn when there is a potential to exceed the exposure limit
 requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear
 respiratory protection when adverse effects, such as respiratory irritation or discomfort have been
 experienced, or where indicated by your risk assessment process.
- In case of insufficient ventilation, wear suitable respiratory equipment.
- Use respirator with appropriate filter if vapours or aerosol are released.
- Recommended Filter type: A.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information:

Physical state: Liquid

ColourClear, pale yellow.OdourPetrochemical/solvent.pH of the substance or preparation:N/A – Non-aqueous.

Flash point interval: 39 Deg C
Vapour pressure: not determined

Relative Density: 0.79

Water solubility: Insoluble in water Soluble in: Organic solvents

9.2. Other informationNo data available.

SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity

• No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

• This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

• Exothermic reaction with strong acids. Incompatible with oxidizing agents.

10.4. Conditions to avoid

SOLVENT DEGREASER EMULSIFIABLE

• Heat, flames or sparks.

• 10. 5. Incompatible materials

Keep away from: Strong oxidising agents, strong acids.

10.6. Hazardous decomposition products

• Under fire conditions: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Mixture:

• No toxicological data available for the mixture.

Skin corrosion/skin irritation:

• Causes skin irritation.

Serious damage to eyes/eye irritation:

• Not determined.

Respiratory or skin sensitisation:

• Not determined.

Component Toxicology:

Component	Test	Туре	Value
Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclics, (2-25%) aromatics	Acute Oral Toxicity	LD50, Rat-Male, Female	>1500mg/kg
Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclics, (2-25%) aromatics	Skin Absorption	LD50, Rat	>3400mg/kg
Hydrocarbons, C9-12, n-alkanes, isoalkanes, cyclics, (2-25%) aromatics	Inhalation	LC50, 4 h, Vapours, Rat	>13100mg/kg
Xylenes, mixed isomers	Acute Oral Toxicity	LD50, Rat-Male, Female	3500mg/kg
Xylenes, mixed isomers	Skin Absorption	LD50, Rabbit	>5000mg/kg
Xylenes, mixed isomers	Inhalation	LC50, 4 h, Vapours, Rat	5000mg/kg
Alcohols C9 – 11 branched and linear,ethoxylated 5-20 EO	Acute Oral Toxicity	LD50, Rat-Male, Female	>1,200mg/kg

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity

Component Ecotoxicology:

Component	Test	Туре	Value
Hydrocarbons, C9-12, n-alkanes,	Fish	96H LC50	<30mg/l
isoalkanes, cyclics, (2-25%) aromatics			
Hydrocarbons, C9-12, n-alkanes,	Daphnia	48H EC50	<22mg/l
isoalkanes, cyclics, (2-25%) aromatics			
Hydrocarbons, C9-12, n-alkanes,	Algae	72H EC50	<10mg/l
isoalkanes, cyclics, (2-25%) aromatics			
Xylenes, mixed isomers	Fish	96H LC50	3.3-4.1mg/l
Xylenes, mixed isomers	Daphnia	48H EC50	<10mg/l
Xylenes, mixed isomers	Algae	3H EC50	<10mg/l
Alcohols C9 – 11 branched and	Fish	96H LC50	5 – 7mg/l
linear,ethoxylated 5-20 EO			
Alcohols C9 – 11 branched and	Daphnia	48H EC50	5.1mg/l
linear,ethoxylated 5-20 EO			
Alcohols C9 – 11 branched and	Algae	72H EC50	1.4 – 47mg/l
linear,ethoxylated 5-20 EO			

SOLVENT DEGREASER EMULSIFIABLE

12.2. Persistence and degradability

- Readily biodegradable. Oxidises rapidly by photochemical reactions in air.
- The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents

12.3. Bioaccumulative potential

• No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No know significant effects or critical hazards

SECTION 13. DISPOSAL CONSIDERATIONS

 Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Waste:

• Must be disposed of in accordance with local and national regulations.

Soiled packaging:

Dispose of as normal industrial waste. If empty containers are recycled or disposed of, the receiver must be
informed about possible hazards. NB: The user's attention is drawn to the possible existence of regional or
national regulations regarding disposal.

SECTION 14. TRANSPORT INFORMATION

14.1 UN Number UN Number: 1993

14.2 UN proper shipping name

Shipping name: FLAMMABLE LIQUID N.O.S.

14.3 Transport hazard class(es)

Transport class: 3 **14.4 Packing group**Packing group: III

14.5 Environmental hazards

Toxic to aquatic life with long lasting effects.

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Particular provisions:
 - No data available.

15.2. Chemical safety assessment

• No data available.

SECTION 16. OTHER INFORMATION

- Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.
- It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

SOLVENT DEGREASER EMULSIFIABLE

- The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.
- To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein
- Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist

Full Text of abbreviated H Statements:

H225 – Highly flammable liquid and vapour.

H226 – Flammable liquid and vapour.

H302 – Harmful if swallowed.

H304 – May be fatal if swallowed and enters airways.

H312 – Harmful in contact with skin.

H315 - Causes skin irritation.

H318 – Causes serious eye damage.

H319 – Causes serious eye irritation.

H332 - Harmful if inhaled.

H335 – May cause respiratory irritation.

H336 – May cause drowsiness or dizziness.

H372 – Causes damage to organs through prolonged or repeated exposure.

H411 – Toxic to aquatic life with long lasting effects.

Full Text of abbreviated R-Phrases:

R10 - Flammable.

R11 – Highly flammable.

R20 – Harmful by inhalation.

R21 – Harmful in contact with skin.

R22 - Harmful if swallowed.

R36 – Irritating to eyes.

R37 – Irritating to respiratory system.

R38 – Irritating to skin.

R41 - Risk of serious damage to the eyes.

R51/53 – Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 – Harmful: may cause lung damage if swallowed.

R66 – Repeated exposure may cause skin dryness or cracking.

R67 – Vapours may cause drowsiness and dizziness.

he correct but does not purport to be all inclusive and shall

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.